

217/782-2113

OPERATING PERMIT

PERMITTEE

Sauget Sanitary Development & Research Association 10 Mobile Street Sauget, Illinois 62201

Attention: Brett L. Hanke

Application No.: 84080055

Applicant's Designation: VO-19

Subject: LIME SILOS

Date Issued: August 29, 1984 Expiration Date: August 27, 1989

Location: 10 Mobile Street, Sauget, Illinois

Permit is hereby granted to the above-designated Permittee to OPERATE emission source(s) and/or air pollution control equipment consisting of lime silos with baghouse as described in the above-referenced application. This Permit is subject to standard conditions attached hereto.

Bharat Mathur, P.E. Manager, Permit Section Division of Air Pollution Control

BM:DMH:bv/1634D/13

cc: Region 3 4613164

I.D. No.: 163121 AAU

Date Received: August 17, 1984



STANDARD CONDITIONS FOR OPERATING PERMITS

- The issuance of an operating permit by the Agency does not release the permittee from compliance with other applicable statutes of the State of Illinois or with applicable local laws, regulations or ordinances.
- 2. The Agency has granted this permit based upon the information submitted by the permittee in the permit application. Any misinformation, false statement of misrepresentation in the permittee's application shall be grounds for revocation under Rule 103(f), Chapter 2, Part 1 of the Illinois Pollution Control Board Rules and Regulations.
- 3. The permittee shall not authorize, cause, direct or allow any modification, as defined in Rule 101, Chapter 2, Part 1 of the Illinois Pollution Control Board Rules and Regulations, of equipment, operations or practices which are reflected in the permit application as submitted unless a new application or request for revision of existing application is filed with the Agency at least ninety (90) days prior to the time of such modification and unless a new permit or revision of existing permit is granted for such modification.
- 4. At any time during normal working and/or operating hours, any agent of the Environmental Protection Agency shall have the right and authority to inspect the equipment and operations described by the permit application. Permittee agrees to allow such inspections. This authority:
 - (a) shall not in any manner affect the title to the premises upon which such equipment is located,
 - (b) does not release the permittee from any liability for any loss due to damage to person or property caused by, resulting from, or arising out of, the design, installation, maintenance, or operation of such equipment, and
 - (c) in no manner implies or suggests that the Environmental Protection Agency (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of such equipment.
- 5. The equipment covered by this permit shall be operated in such a manner that the disposal of air contaminants collected by the equipment shall not cause a violation of the Environmental Protection Act or Regulations promulgated thereunder.
- 6. The permittee shall maintain the equipment in such a manner that the performance of such equipment shall not cause a violation of the Environmental Protection Act or Regulations promulgated thereunder.
- 7. The permittee shall maintain a maintenance record on the premises for each item of air pollution control equipment. This record shall be available to any agent of the Environmental Protection Agency at any time during normal working and/or operating hours. This record shall show, as a minimum, the:
 - (a) date of performance of, and nature of, preventative maintenance, and
 - (b) date of any malfunction or breakdown and the nature of repairs to, or corrective measures performed to maintaining the performance of the equipment.
- 8. The permittee shall submit annually, beginning one year from the date of this operating permit, an "Annual Emission Report," form APC-208, as required by Rule 107 of the PCB Regs., Chapter 2, Part 1. (Note: If the permittee has other operating permits for this facility, he may submit the "Annual Emission Report" for all such permits in a single annual submission.)
- 9. If the permit application contains a "Compliance Program and Project Completion Schedule," form APC-202, the permittee shall submit a "Project Completion Report" form APC-271, within thirty (30) days of any date specified in the "Compliance Program and Project Completion Schedule" or at six month intervals, whichever is more frequent.
- 10. If the permit contains permission to operate in excess of applicable emission standards during startup, the permittee shall keep a record of each startup, including information as to the length of time that such operation exceeded applicable standards and limitations, and a detailed explanation of why such startup was necessary.
- 11. If the permit contains permission to operate in excess of applicable emission standards during malfunctions or breakdowns, the permittee shall immediately notify the Agency's regional Field Operations Section office by telegram upon occurrence of malfunction or breakdown, and comply with all directives of the regional office with respect to the incident. (See map on reverse side.)

The permittee shall maintain records of such malfunctions or breakdowns. These records shall include: a full and detailed explanation of why such breakdown occurred; the length of time during which operation continued under conditions and malfunction or breakdown; the measures the permittee used to reduce the length of time of such operation; and the steps the permittee will take to prevent future similar malfunctions or breakdowns. This record shall be available to any agent of the Environmental Protection Agency at any time during normal working and/or operating hours.

The permittee shall not continue operation during malfunction or breakdown beyond such time as is necessary to prevent injury to persons or severe damage to equipment or to provide essential services.

DIRECTORY ENVIRONMENTAL PROTECTION AGENCY DIVISION OF AIR POLLUTION CONTROL

For assistance in preparing a permit application contact the Permit Section.


Illinois Environmental Protection Agency Division of Air Pollution Control Permit Section 2200 Churchill Road Springfield, Illinois 62706 (217) 782-2113

or a regional office of the Field Operations Section. The regional offices and their areas of responsibility are shown on the map. The addresses and telephone numbers of the regional offices are as follows:

Region 1 Intercontinental Center Suite 1205 - 1701 1st Avenue Maywood, Illinois 60153 (312) 345-9780

Region 2 5415 North University Peoria, Illinois 61614 (309) 691-2200

Region 3 115A West Main Collinsville, Illinois 62234 (618) 345-0700



CALCULATION SHEET

Facility Sauget Sanctary Development. D.	163 121 BAU
Anal. Eng. 2014 Date 08 28 84 PN	84080055
Rev. Eng. Date Date Rec.	. 08 17 84
an operating permit for two am	e storge silve.
RWP, 1250 lbs/hu	
2x5x52=520 /x5	× 52 = 260
cercontally emissions 1855 5# Control day house 98.5.90 Dertud emissions 2.8#	
2.8 × 520 = 07 Ten	
Bule 1 203 (f) - sect 2/2-301	Source to in
This operation has been in exista 1976 therefore USR dox not of	gly again
Decom	nend
Fra	
57	nes
	88-84
IL 532-0262	Sheet of
APC 268 3/80	

162121

Village of Sauget

Paul Sauget
Mayor Reg 3-1

2897 Monsanlo Avenue Saugel, Illinois 62206 (618) 337-5267

RECEIVED

August 8, 1984

AUG 17 1934

TEPA - DAPC - SEC TO

Sate of Illinois Environmental Protection Agency Division of Air Pollution Control 2200 Churchill Road Springfield, Illinois 62706

Dear Sirs:

Attached you will find an application for Air Pollution Control Permit for our lime silo located at the Physical-Chemical Treatment Plant. On review of pertinent regulations, it became questionable as to wether we require such a permit; therefore, we elected to make this submission.

Sincerel,

Paul Sauget

Mayor

PS/ba



This Agency is authorized to require this information u illinois Revised Statutes, 1979, Chapter III 1/2, Section Disclosure of this information is required under that Se Failure to do so may prevent this form from being proand could result in your application being denied. This has been approved by the Forms Management Center.

								·
						FOR AGE	NCY USE O	NLY
I	APPLICATION FOR	R A PERMIT(A)		1. D.	NO.	163	1211	4A/1
ł		OPERATE						1110
}	L3 CONSTRUCT	UPERONIE		PERMI	T NO.	84	08	0055
NAUT	OF EQUIPMENT TO BE					0_	, , , a	rit
	TRUCTED OR OPERATED Lime Silos		(B)	DATE		a	17-8	4
L				L				
la.	NAME OF OWNER:		2a. NAME (OF OPERATOR:				
	llage of Sauget, Illinois		Sauget S	Sanitary	Develo	opment &	Resear	ch Assn.
	STREET ADDRESS OF OWNER:		2b. STREET	T ADDRESS OF	OPERATOR:			
	97 Falling Springs Road			le Street	t			
	CITY OF OWNER:			OF OPERATOR:				
	ıget	T	Sauget					
•	STATE OF OWNER:	le. ZIP CODE:		OF OPERATOR	:		1	ZIP CODE:
11:	linois	62206	Illino	ois			6	2201
_								
	NAME OF CORPORATE DIVISION OR PLANT:			T ADDRESS OF		SOURCE:		•
L	uget Physical-Chemical Trea			Mobile 5				
3c.	CITY OF EMISSION SOURCE:	3d. LOCATED WITHIN CITY	3e. TOWNS		3f. COU			IP CODE:
	Sauget	LIMITS: YES NO	Centre	AIITE	St. (Hair	6	2201
	ALL CORRESPONDENCE TO: (TITLE AND/OR NA	ME OF INDIVIDUAL!	5. TELEP	HONE NUMBER	EUD VEENU	TO CALL:		
1	Brett L. Hanke	TO INDIVIDUAL)				TO CALL.		
6.	ADDRESS FOR CORRESPONDENCE: (CHECK ONL	Y ONE)	7. YOUR	B) 874-3 DESIGNATION	FOR THIS	APPLICATION: (<u> </u>	
1	OWNER: X OPERATOR	EMISSION SOURCE			<u>vo-</u> _	19(()	
8.	THE UNDERSIGNED HEREBY MAKES APPLICATION	FOR A PERMIT AND CERTIF	IES THAT THE	STATEMENTS	CONTAINED	HEREIN ARE TI	RUE AND C	ORRECT AND
	FURTHER CERTIFIES THAT ALL PREVIOUSLY SU	JBMITTED INFORMATION REFE	RENCED IN TH	IIS APPLICATI	ON REMAINS	S TRUE, CORREC	CT AND CU	RRENT.
1	BY AFFIXING HIS SIGNATURE HERETO HE FUR	THER CERTIFIES THAT HE 1	S AUTHORIZED	10 EXECUTE 1	IHIS APPLI	CATION.		
-	AUTHORIZED SIGNATURE(S):(D)							
1				3 m	14 1	_		8-9-84
•	SIGNATURE	- RECEI	V E D	YGNATURE	Tan 26	!.		DATE
1				Brett L				DATE
1	Paul Sauget Typed or Printed Name of Signer	AUG-17	1984 T	YPED OR PRIN				
1	Mayor, Village of Sauge	_		Associa	tion E	ngineer		
1	TITLE OF SIGNER	TEPA - DAP	C - SPF!.	TILE OF SIGN	ER			
(4)	THIS FORM IS TO PROVIDE THE AGENCY WITH	• -				OR OPERATED.	THIS FO	ORM MAY
(^/	ONLY BE USED TO REQUEST ONE TYPE OF PER	MIT - CONSTRUCTION OR OP	ERATION - AND	NOT BOTH.			11.20	
(B)	ENTER THE GENERIC NAME OF THE EQUIPMENT	TO RE CONSTRUCTED OR OP	FRATED THIS	S NAME WILL	APPEAR ON	THE PERMIT WE	ITCH MAY I	RE ISSUEN
(5)	PURSUANT TO THIS APPLICATION. THIS FOR	M MUST BE ACCOMPANIED BY	OTHER APPLI	CABLE FORMS	AND INFORM	MATION.	IJUN MAI E)E 1330FD
(c)	PROVIDE A DESIGNATION IN ITEM 7 ABOVE W	HICH YOU WOULD LIKE THE.	AGENCY TO US	F FOR IDENTII	FICATION O	F YOUR FOUTPM	ENT YOU	IP.
"	DESIGNATION WILL BE REFERENCED IN CORRE							
1	EXCEED TEN (10) CHARACTERS.							
(D)		RDANCE WITH PCB REGS., C	HAPTER 2. PA	RT 1, RULE 1	03(a)(4) ()R 103(b)(5) 1	HICH STA	TES:
	"ALL APPLICATIONS AND SUPPLEMENTS THERE CONTROL EQUIPMENT, OR THEIR AUTHORIZED	AGENT, AND SHALL BE ACCO	E UWNEK AND (MPANIED BY E	UPERATOR OF T	THE EMISS!	ON SOURCE OR SIGN THE AF	AIR POLLI PLICATION	JTION N."
	IF THE OWNER OR OPERATOR IS A CORPORATI OF THE CORPORATION'S BOARD OF DIRECTORS OPERATION OF THE EQUIPMENT TO BE COVERE	AUTHORIZING THE PERSONS	SIGNING THI	S APPLICATION	N TO CAUSI	E OR ALLOW THE	OF A RES	SOLUTION CTION OR

۶.	DOES THIS APPLICATION CONTAIN A PLOT PLAN/MAP. IXI YES IN NO	
}	IF A PLOT PLAN/MAP HAS PREVIOUSLY BEEN SUBMITTED, SPECIFY:	
<u> </u> `		APPLICATION NUMBER
l	IS THE APPROXIMATE SIZE OF APPLICANT'S PREMISES LESS THAN 1 AC	
	YES NO: SPECIFY ACRES	
10.	The second secon	THAT ACCURATELY AND CLEARLY REPRESENTS CURRENT PRACTICE.
110.	WAS ANY EQUIPMENT, COVERED BY THIS APPLICATION, OWNED OR CONTRACTED FOR, BY THE APPLICANT PRIOR TO APRIL 14, 1972:	1 116. HAS ANY EQUIPMENT, COVERED BY THIS APPLICATION, NOT PREVIOUSLY RECEIVED AN OPERATING PERMIT:
	TYES MO	NO YES NO
	IF "YES", ATTACH AN ADDITIONAL SHEET, EXHIBIT A, THAT: (a) LISTS OR DESCRIBES THE EQUIPMENT (b) STATES WHETHER THE EQUIPMENT WAS IN COMPLIANCE WITH THE RULES AND REGULATIONS GOVERNING THE CONTROL OF AIR POLLUTION PRIOR TO APRIL 14, 1972.	IF "YES", ATTACH AN ADDITIONAL SHEET, EXHIBIT B, THAT: (a) LISTS OR DESCRIBES THE EQUIPMENT (b) STATES WHETHER THE EQUIPMENT (i) IS ORIGINAL OR ADDITIONAL EQUIPMENT (ii) REPLACES EXISTING EQUIPMENT, OR (iii) MODIFIES EXISTING EQUIPMENT (c) PROVIDES THE ANTICIPATED OR ACTUAL DATES OF THE COMMENCEMENT OF CONSTRUCTION AND THE START-UP OF THE EQUIPMENT
12.	IF THIS APPLICATION INCORPORATES BY REFERENCE A PREVIOUSLY	GRANTED PERMIT(S), HAS FORM APC-210, "DATA AND INFORMATION
1	INCORPORATION BY REFERENCE" BEEN COMPLETED.	
		APRICATION PRODUCT AIR CONTINUES
}	APPLICABLE STANDARDS:	APPLICATION PRODUCE AIR CONTAMINANT EMISSION IN EXCESS OF
1	YES X NO	•
1	IF "YES," HAS FORM APC-203, "OPERATION DURING STARTUP"	BEEN COMPLETED FOR THIS SOURCE:
}	YES NO	
	14. DOES THIS APPLICATION REQUEST PERMISSION TO OPERATE AN	EMISSION SOURCE DURING MALFUNCTIONS OF BREAKDOWNS:
≿	YES NO 1F "YES," HAS FORM APC-204, "OPERATION DURING MALFUNC	TION AND BREAKDOWN" BEEN COMPLETED FOR THIS SOLIDCE.
ONLY	YES NO	The state of the s
PERMIT	15. IS AN EMISSION SOURCE COVERED BY THIS APPLICATION SUBJE	CT TO A FUTURE COMPLIANCE DATE:
	YES 🔼 NO	
PERATING	<u> </u>	JECT COMPLETION SCHEDULE, " BEEN COMPLETED FOR THIS SOURCE:
₹	YES NO	
O PE	16. DOES THE FACILITY COVERED BY THIS APPLICATION REQUIRE AL ACTION PLANS):	N EPISODE ACTION PLAN (REFER TO GUIDELINES FOR EPISODE
	TYES NO	
APPLICATION FOR		ILED WITH THE ILLINOIS POLLUTION CONTROL BOARD ON OR BEFORE
1 €	JUNE 13, 1972:	The second rectioned control boards on the personal
5	YES Z NO	
4991	IF "YES," CITE: PCB NUMBER(S), [DATE OF BOARD ORDER
	WAS CONSTRUCTION OR MODIFICATION OF EQUIPMENT, SUFF GOVERNING THE CONTROL OF AIR POLLUTION" EFFECTIVE PRI	FICIENT TO ACHIEVE COMPLIANCE WITH THE "RULES AND REGULATIONS IOR TO APRIL 14, 1972, COMMENCED PRIOR TO APRIL 14, 1972-
1	YES NO	
	IF "YES," EXPLAIN IN DETAIL, AND IDENTIFY EXPLANATION A	S EXHIBIT D.
18	LIST AND IDENTIFY ALL FORMS, EXHIBITS, AND OTHER INFORMATION NUMBERS ON EACH ITEM (ATTACH ADDITIONAL SHEETS IF NECESSA	NRY):
l	APC 200	Page 1
	Exhibit B- Equipment Data	Page 3
1	Appendix 1 to Exhibit B - Dust Collector Exhibit C - Plot Plan	Page 4
	Exhibit D - Process Diagram	Page 5 Page 6
1	APC 220	Page 7
	APC 232	Page 10
1	APC 260	Page 12
1	APC 103	Page 18 TOTAL NUMBER OF PAGES 21
1		TOTAL HOMBER OF TACES

EXHIBIT B

APC 200

ITEM 11b

- a) Equipment: W. W. Sly Manufacturing Company Pactecon dust filter, type PS No. 6 with a channel frame base, mechanical bag shaker and timer No. 3821 for semi-automatic control with manual initiation and fan pipe with blast gate. Dust collector is mounted on one of two storage silos. Air used in loading both silos is vented to collector.
- b) Equipment is original.
- c) Construction commenced in April of 1973 with operational commencement in April of 1976.

Appendix 1 to Exhibit B Monsanto Enviro-H SPECIFICATION FOR ECN 0761 SPEC NO 512-106 LIME DUST COLLECTOR ITEM NOV-019 NO REO'D one EQUIP NAME Lime Dust Collector MADE BY MIL AG DATE 10/12/7 BATE 10/17/7 BATE SHEET OF 1 DATE ... FUNCTION: To collect dust from air used to convey peuble lime and to discharge this dust directly to the silo helow. OPERATION: Intermittent, outdoor service. AMBIENT CONDITIONS: Temperature -20°F to +110°F MATERIALS HANDLED: Air containing dolomitic quicklime dust coming from standard pneumatic unloading of, 3/4" to dust, dolomitic quicklime from trucks. PERFORMANCE: Design air flow rate: 1600 CFM** Pressure drop of collector (Max. dirty): 3" H20 **Two trucks unloading at 400 CFM @ 15 psig plus a surge factor of 2.0 Lime will be delivered to a height of 65 ft. The two silos will be connected with a 10" grasshopper. TYPE: W.W. Sly Manufacturing Co. Pactecon dust filter, Type PS No. 6 with a channel frame base, mechanical bas shaker and timer or approved equal CONTROL: By others DRIVE: ELECTRIC - VOLTS. PHASE. HERTZ. TYPE SOP SDECS . 030-1012102 SERVICE FACTOR TURBINE - STEAM SUPPLY PSIG, *F. - EXHAUST ACCESSORY EQUIPMENT REQUIRED: Motorized bag-shaking device, No. 3821 timer for semi-automatic control with manual initiation, and fan pipe with blast gate.

REMARKS: Dust collector to be mounted on one of two storage silos.

Air used in loading either silo will be vented to collector.

Which to be supplied less hoppers, valves, and structural support.

MATERIALS AND DETAILS OF CONSTRUCTION * Vendor's standard for conditions.

Standard equipment includes minimum 16 ga. steel case, channel giframe, paskets quick-release doors, 24 Slytes ed filter bags, having 528 sq. ft. area, and complete shop assembly.


REFERENCE: For dust collector fan see spec. 402-104 attached.

Unit shall meet applicable OSHA requirements.

COATING: Vendon's standard for conditions.

BY VEN	DOR UNL	ESS SPECIFIE	D BY ENVIRO-CHEM					
NO	DATE	BY	REVISION	NO	DATE	BY	REVISION	

Σ <u>σ</u> Ο Ο ..,,



2 Trucks @ 400 CFM co. & 15psi

7.

ILEW 10 VHE 500 [XHIBIL]



This Agency is authorized to require this information under Illinois Revised Statutes, 1979, Chapter 111 1 2, Section 1039. Disclosure of this information is required under that Section Failure to do so may prevent this form from being processed and could result in your application being denied. This form has been approved by the Forms Management Center.

*DATA AND INFORMATION	
PROCESS EMISSION SOURCE	
•	

*THIS INFORMATION FORM IS TO BE COMPLETED FOR AN EMISSION SOURCE OTHER THAN A FUEL COMBUSTION EMISSION SOURCE OR AN INCINERATOR. A FUEL COMBUSTION EMISSION SOURCE IS A FURNACE, BOILER, OR SIMILAR EQUIPMENT USED PRIMARILY FOR PRODUCING HEAT OR POWER BY INDIRECT HEAT TRANSFER. AN INCINERATOR IS AN APPARATUS IN WHICH REFUSE IS BURNED.

1. NAME OF PLANT OWNER:	2. NAME OF CORPORATE DIVISION OR PLANT (IF DIFFERENT FROM
Village of Sauget, Illinois	OWNER): Sauget Physical-Chemical Plant
3. STREET ADDRESS OF EMISSION SOURCE:	4. CITY OF EMISSION SOURCE:
10 Mobile Street	Sauget

GENERAL I	NFORMATION	
5. NAME OF PROCESS:	6. NAME OF EMISSION SOUR	CE EQUIPMENT:
Lime Storage	Lime Silos / Dust	Filter
7. EMISSION SOURCE EQUIPMENT MANUFACTURER: W. W. Sly Manufacturing Company	8. MODEL NUMBER: Type PS No. 6	9. SERIAL NUMBER: JP 2864
10. FLOW DIACRAM DESIGNATION(S) OF EMISSION SOURCE: VO-19 11. IDENTITY(S) OF ANY SIMILAR SOURCE(S) AT THE PLANT OR PREM	ISES NOT COVERED BY THE FORM (IF	THE SOURCE IS COVERED BY ANOTHER
APPLICATION, IDENTIFY THE APPLICATION): None 12. AVERAGE OPERATING TIME OF EMISSION SOURCE: 1 HRS/DAY 5 DAYS/WK 52 WKS/YR	13. MAXIMUM OPERATING THE	ME OF EMISSION SOURCE:DAYS/WK52WKS/YR
14. PERCENT OF ANNUAL THROUGHPUT: DEC-FEB 25 % MAR-MAY 25 % J	UN-AUG 25 % SEPT-NO	OV 25 %

INSTRUCTIONS

- 1. COMPLETE THE ABOVE IDENTIFICATION AND GENERAL INFORMATION SECTION.
- 2. COMPLETE THE RAW MATERIAL, PRODUCT, WASTE MATERIAL, AND FUEL USAGE SECTIONS FOR THE PARTICULAR SOURCE EQUIPMENT.
 COMPOSITIONS OF MATERIALS MUST BE SUFFICIENTLY DETAILED TO ALLOW DETERMINATION OF THE NATURE AND QUANTITY OF POTENTIAL
 EMISSIONS. IN PARTICULAR, THE COMPOSITION OF PAINTS, INKS, ETC., AND ANY SOLVENTS MUST BE FULLY DETAILED.
- 3. EMISSION AND EXHAUST POINT INFORMATION MUST BE COMPLETED, UNLESS EMISSIONS ARE EXHAUSTED THROUGH AIR POLLUTION CONTROL EQUIPMENT.
- 4. OPERATING TIME AND CERTAIN OTHER ITEMS REQUIRE BOTH AVERAGE AND MAXIMUM VALUES.
- 5. FOR GENERAL INFORMATION REFER TO "GENERAL INSTRUCTIONS FOR PERMIT APPLICATIONS," APC-201.

DEFINITIONS

AVERAGE - THE VALUE THAT SUMMARIZES OR REPRESENTS THE GENERAL CONDITION OF THE EMISSION SOURCE, OR THE GENERAL STATE OF PRODUCTION OF THE EMISSION SOURCE. SPECIFICALLY:

AYERAGE OPERATING TIME - ACTUAL TOTAL HOURS OF OPERATION FOR THE PRECEDING TWELVE MONTH PERIOD.

AVERAGE RATE - ACTUAL TOTAL QUANTITY OF "MATERIAL" FOR THE PRECEDING TWELVE MONTH PERIOD, DIVIDED BY THE AVERAGE OPERATING TIME.

AVERAGE OPERATION - OPERATION TYPICAL OF THE PRECEDING TWELVE MONTH PERIOD, AS REPRESENTED BY AVERAGE OPERATING TIME AND AVERAGE RATES.

***YIMUM - THE GREATEST VALUE ATTAINABLE OR ATTAINED FROM THE EMISSION SOURCE, OR THE PERIOD OF GREATEST OR UTMOST PRODUCTION OF THE EMISSION SOURCE. SPECIFICALLY:

MAXIMUM OPERATING TIME - GREATEST EXPECTED TOTAL HOURS OF OPERATIONS FOR ANY TWELVE MONTH PERIOD.

MAXIMUM RATE - GREATEST QUANTITY OF "MATERIAL" EXPECTED PER ANY ONE HOUR OF OPERATION.

MAXIMUM OPERATION - GREATEST EXPECTED OPERATION, AS REPRESENTED BY MAXIMUM OPERATING TIME AND MAXIMUM RATES.

raw material information							
NAME OF RAW MATERIAL	AVERAGE PER IDENTICAL	MAXIMUM RATE PER IDENTICAL SOURCE					
200. Lime (Calcium Oxide) (In Vehicle)	ь. 46,000	LB/HR	c. 46,000	L B/HR			
21a.	ь.	LB/HR	с.	LB/HR			
22a.	ь.	LB/HR	с.	LB/HR			
23a.	ь.	LB/HR	с.	LB/HR			
24a.	ь.	LB/HR	с.	LB/HR			

PROI	DUCT INFORMATION			
NAME OF PRODUCT	AVERAGE F PER IDENTICAL	MAXIMUM RATE PER IDENTICAL SOURCE		
30o. Lime (Calcium Oxide) (In Silo)	ь. 46,000	LB/HR	c. 46,000	LB/HR
31a.	ь.	LB/HR	с.	L8/HR
32a.	ь.	LB/HR	с.	LB/HR
33a.	ь.	LB/HR	с.	LB/HR
340.	ь.	LB/HR	с.	LB/HR

	WAS	TE MATERIAL INFORMATION			
NAME OF WASTE MATERIAL		AVERAGE RATE PER IDENTICAL SOURCE		MAXIM PER IDENTIC	UM RATE AL SOURCE
40a.	None	ь.	LB/HR	c.	LB/HR
41a.		b.	LB/HR	c.	LB/HR
420.		ь.	LB/HR	c.	LB/HR
43a.		ь.	LB/HR	с.	LB/HR
44a.		ь.	LB/HR	c.	LB/HR

FUEL USED		TYPE	HEAT CONTE	NT
50a. NATURAL GAS	ь.		 c. 1000 BTU/SCF	
OTHER GAS				BTU/SCF
OIL				BTU/GAL
COAL				BTU/LB
OTHER			1	BTU/LB

^{*}THIS SECTION IS TO BE COMPLETED FOR ANY FUEL USED DIRECTLY IN THE PROCESS EMISSION SOURCE, E.G. GAS IN A DRYER, OR COAL IN A MELT FURNACE.

*EMISSION INFORMATION 51. NUMBER OF IDENTICAL SOURCES (DESCRIBE AS REQUIRED): Emissions are exhausted through air pollution control equipment. AVERAGE OPERATION CONCENTRATION OR EMISSION RATE PER IDENTICAL METHOD USED TO DETERMINE CONCENTRATION OR CONTAMINANT EMISSION RATE SOURCE P ARTICULATE 52a. MATTER GR/SCF LB/HR CARBON 53a. Ь. с. PPM MONOXIDE (VOL) LB/HR NITROGEN 54a. Ь. c. PPM OXIDES LB/HR (VOL) **ORGANIC** 55a. PPM c. MATERIAL (VOL) LB/HR SULFUR 560. b. c. PPM DIOXIDE LB/HR (VOL) ** OTHER 57a. Ь. PPM (SPECIFY) (VOL) LB/HR MAXIMUM OPERATION CONCENTRATION OR EMISSION RATE PER IDENTICAL METHOD USED TO DETERMINE CONCENTRATION OR CONTAMINANT EMISSION RATE PARTICULATE b. 58a. c. GR/SCF MATTER LB/HR CARBON 59a. PPM MONOXIDE (VOL) LB/HR NITROGEN Ь. c. 60a. PPM **OXIDES** (VOL) LB/HR ORGANIC 61a. Ь. c. PPM MATERIAL (VOL) LB/HR

*ITEMS 52 THROUGH 63 NEED NOT BE COMPLETED IF EMISSIONS ARE EXHAUSTED THROUGH AIR POLLUTION CONTROL EQUIPMENT.
**"OTHER" CONTAMINANT SHOULD BE USED FOR AN AIR CONTAMINANT NOT SPECIFICALLY NAMED ABOVE. POSSIBLE OTHER CONTAMINANTS
ARE ASBESTOS, BERYLLIUM, MERCURY, VINYL CHLORIDE, LEAD, ETC.

LB/HR

LB/HR

c.

Ь.

ь.

PPM

(VOL)

PPM

(VOL)

	***EXHA	UST POINT	INFOR	MATION	
64.	FLOW DIAGRAM DESIGNATION(S) OF EXHAUST POINT:				
65.	DESCRIPTION OF EXHAUST POINT (LOCATION IN RELATION	ON TO BUIL	LDINGS,	DIRECTION, HOODING, ETC.):	
66.	EXIT HEIGHT ABOVE GRADE:		67.	EXIT DIAMETER:	
68.	GREATEST HEIGHT OF NEARBY BUILDINGS:	FT	69.	EXIT DISTANCE FROM NEAREST PLANT BOUNDARY:	FT
	AVERAGE OPERATION			MAXIMUM OPERATION	
70.	EXIT GAS TEMPERATURE:	°F	72.	EXIT GAS TEMPERATURE:	٥F
<i>7</i> 1.	GAS FLOW RATE THROUGH EACH EXIT:	ACFM	73.	GAS FLOW RATE THROUGH EACH EACH EXIT:	ACFM

^{***} THIS SECTION SHOULD NOT BE COMPLETED IF EMISSIONS ARE EXHAUSTED THROUGH AIR POLLUTION CONTROL EQUIPMENT.

SULFUR

DIOXIDE

** OTHER

(SPECIFY)

62a.

63a.



					FOR AGENCY USE ONLY	
PROCESS	EMISSION SO	URCE ADDENDUM				
	TANK					
				1		
				<u> </u>		
1. NAME OF OWNER:			2. NAME (F CORPORATE	DIVISION OR PLANT (IF DIFFERENT FROM OW	NER):
Village of Sauget. 3. STREET ADDRESS OF EMISSION	<u> </u>		Sauge	Physic F EMISSION S	al-Chemical Treatment Pla	nt
	SOURCE:				OURCE:	
10 Mobile Street			Sauge			
		TANK INFO	RMATION			
5. NAME OF TANK MANUFACTURER:			6. DES16	ATICY OF TAN	К:	,
Fabricated on site			VO-16 8. CAPAC	<u>& 17</u>		
1						
N/A 9. TANK USE:			624 Ct	ubic Fee	CITY TANKS STORING SAME MATERIAL:	
Lime Stora	age			2		
11. TANK SHAPE: HORIZONTAL	2 27 c	YLINDRICAL 🗀	SPHERICAL		OTHER(SPECIFY)	
12. TANK DIAMETER:		13. TANK HEIGHT:	· 	1	14. TANK LENGTH:	
16		FT 26		ना	N/A	FT
15. STATUS:	'ING	ALTERATION	16: TÂNK 1	TYPE: MESSURE	FIXED ROOF FLOATING ROOF OTHER(SPECIFY)	
17. SEAL: SINGL OTHER	E (SPECIFY)	DONBLE	18. AVERAG	E DISTANCE F	ROM TOP OF TANK SHELL TO LIQUID:	FT.
19. SHELL TYPE: RIVETED E WELDE	ro 🗆 o	THER(SPECIFY)	20. PAINT Whi			
			*			
		VENT VALV	IE DATA			
	NUMBER	TENT YACY	L DOIN		Province of the second	
TYPE OF VENT	OF VENTS	PRESSURE SETTING		()	DISCHARGE VENTED TO TMOSPHERE, FLARE, ETC.)	
21. COMBINATION	a .	b. PSIG	c.			
22. PRESSURE	ā.	b. PSIG	с.			
				·· — ————		
23. VACUUM	å.	b. PSIG	c.			
24. OPEN	a. 1	bra Atmos PSIG	c. To 1	Dust Col	lector	

This Agency is authorized to require this information under Illinois Revised Statutes, 1979, Chanter III 1/2, Section 1039. Disclosure of this information is required under that Section. Pallure to do so may prevent this form from being processed and could result in your application being denied. This form has been approved by the Forms Management Senter.

IL 532-0254

	MATERIAL TO BE STOPED				
25. Miskie: Lime (Calcium Oxide)	26. CENSITY:	55	LB/FT ³ 27.	VAPOR PRESSURE AT 70° N/A	F: PSIA

		STORAGE (CONSTRICTS	
έσ.	uropaus térfératurs. Мінимим <u>Ambient</u> °5	MAXIMUM <u>Ambient</u> %F	29. TANK TURN OVER PER YEAR: 13 times	SSLS/ GALS/
30.	MAXIMUM FILLING PATE: 1600 cfm	☐ BBLS/DAY ☐ GALS/DAY	31. AVERAGE THROUGHPUT: 800	BBLS/DAY GALS/DAY
L	PRESSURE EDUALIZERS USED?	14 10	33. PERMANENT SUBMERGED LOADING PIPE USED? N/A YES	— 40
34.	VAPOR LOSS CONTROL DEVICE? VES 110	IF WARDS COST CONTROL CONTRMENT	TROL DEVICE IS USED. COMPLETE DATA & INFORMATION " (FORM APC-260), AS PART OF THIS APPLICATION.	ATR POLLUTION

PAGE 2 OF 211/19



This agency is authorized to require this information under Illinois Revised Statutes, 1979, Chapter III'A, Section 1039. Disclosure of this information is required under that section, Failure to do so may prevent this form from being processed and could result in your application being denied. This form has been approved by the Forms Management Center.

*DATA AND INFORMATION

AIR POLLUTION CONTROL EQUIPMENT

*THIS INFORMATION FORM IS FOR AN INDIVIDUAL UNIT OF AIR POLLUTION CONTROL EQUIPMENT OR AN AIR POLLUTION CONTROL SYSTEM.

1. NAME OF OWNER:

Village of Sauget, Illinois

3. STREET ADDRESS OF CONTROL EQUIPMENT:

10 Mobile Street

5. NAME OF CONTROL EQUIPMENT OR CONTROL SYSTEM:

2. NAME OF CORPORATE DIVISION OR PLANT (IF DIFFERENT FROM OWNER):

Sauget

7. NAME OF CORPORATE DIVISION OR PLANT (IF DIFFERENT FROM OWNER):

Sauget

Sauget

Dust Collector

INSTRUCTIONS

- 1. COMPLETE THE ABOVE IDENTIFICATION.
- 2. COMPLETE THE APPROPRIATE SECTION FOR THE UNIT OF CONTROL EQUIPMENT, OR THE APPROPRIATE SECTIONS FOR THE CONTROL SYSTEM. BE CERTAIN THAT THE ARRANGEMENT OF VARIOUS UNITS IN A CONTROL SYSTEM IS MADE CLEAR IN THE PROCESS FLOW DIAGRAM.
- 3. COMPLETE PAGE 6 OF THIS FORM, EMISSION INFORMATION AND EXHAUST POINT INFORMATION.
- 4. EFFICIENCY VALUES SHOULD BE SUPPORTED WITH A DETAILED EXPLANATION OF THE METHOD OF CALCULATION, THE MANNER OF ESTIMATION, OR THE SOURCE OF INFORMATION. REFERENCE TO THIS FORM ANY RELEVANT INFORMATION OR EXPLANATION INCLUDED IN THIS PERMIT APPLICATION.
- 5. EFFICIENCY VALUES AND CERTAIN OTHER ITEMS OF INFORMATION ARE TO BE GIVEN FOR AVERAGE AND MAXIMUM OPERATION OF THE SOURCE EQUIPMENT. FOR EXAMPLE, "MAXIMUM EFFICIENCY" IS THE EFFICIENCY OF THE CONTROL EQUIPMENT WHEN THE SOURCE IS AT MAXIMUM OPERATION, AND "AVERAGE FLOW RATE" IS THE FLOW RATE INTO THE CONTROL EQUIPMENT WHEN THE SOURCE IS AT AVERAGE OPERATION.
- 6. FOR GENERAL INFORMATION REFER TO "GENERAL INSTRUCTIONS FOR PERMIT APPLICATIONS", APC-201.

DEFINITIONS

AVERAGE - THE VALUE THAT SUMMARIZES OR REPRESENTS THE GENERAL CONDITION OF THE EMISSION SOURCE OR THE GENERAL STATE OF PRODUCTION OF THE EMISSION SOURCE. SPECIFICALLY:

AVERAGE OPERATION - OPERATION TYPICAL OF THE PRECEDING TWELVE MONTH PERIOD, AS REPRESENTED BY AVERAGE OPERATING TIME AND AVERAGE RATES.

MAXIMUM - THE GREATEST VALUE ATTAINABLE OR ATTAINED FROM THE EMISSION SOURCE, OR THE PERIOD OF GREATEST OR UTMOST PRODUCTION OF THE EMISSION SOURCE. SPECIFICALLY:

MAXIMUM OPERATION - THE GREATEST EXPECTED OPERATION, AS REPRESENTED BY MAXIMUM OPERATING TIME AND MAXIMUM RATES.

A DS CORT	CALLIANT STA
1. FLOW DIAGRAM DESIGNATION(S) OF ADSORPTION UNIT:	ION UNIT N/A
2. MANUFACTURER:	3. MODEL NAME AND NUMBER:
4. ADSORBENT: ACTIVATED CHARCOAL: TYPE	OTHER: SPECIFY
5. ADSORBATE(S):	J OTHER: SPECIFT
6. NUMBER OF BEDS PER UNIT:	7. WEIGHT OF ADSORBENT PER BED:
8. DIMENSIONS OF BED: THICKNESSIN, SURFACE AREASQL	JARE IN
9. INLET GAS TEMPERATURE:	10. PRESSURE DROP ACROSS UNIT: 1NCH H ₂ O GAUGE
11. TYPE OF REGENERATION: REPLACEMENT STEAM OTHER: SPECIFY	
12. METHOD OF REGENERATION: ALTERNATE USE OF	ALTERNATE USE OF BEDS IN A SINGLE UNIT
AVERAGE OPERATION OF SOURCE	MAXIMUM OPERATION OF SOURCE
13. TIME ON LINE BEFORE REGENERATION: MIN/BE	15. TIME ON LINE BEFORE REGENERATION: MIN/BED
14. EFFICIENCY OF ADSORBER (SEE INSTRUCTION 4):	16. EFFICIENCY OF ADSORBER (SEE INSTRUCTION 4): %
	erburner n/a
1. FLOW DIAGRAM DESIGNATION(S) OF AFTERBURNER:	
2. MANUFACTURER:	3. MODEL NAME AND NUMBER:
4. COMBUSTION CHAMBER DIMENSIONS: LENGTH IN, CROSS-SECTIONAL AREA	SQUARE IN.
5. INLET GAS TEMPERATURE: ବ	7. FUEL: F GAS OIL: SULFUR WT%
6. OPERATING TEMPERATURE OF COMBUSTION CHAMBER:	8. BURNERS PER AFTERBURNER: © BTU/HR EACH
9. CATALYST USED:	

PAGE 2 OF A

SCFM

%

MAXIMUM OPERATION OF SOURCE

14. EFFICIENCY OF AFTERBURNER (SEE INSTRUCTION 4):

13. GAS FLOW RATE:

SCFM

%

10. HEAT EXCHANGER USED:

11. GAS FLOW RATE:

NO YES: DESCRIBE HEAT EXCHANGER

12. EFFICIENCY OF AFTERBURNER (SEE INSTRUCTION 4):

AVERAGE OPERATION OF SOURCE

CYCLONE N/A 1. FLOW DIAGRAM DESIGNATION(S) OF CYCLONE: 3. MODEL: 2. MANUFACTURER: 5. NUMBER OF CYCLONES IN EACH MULTIPLE CYCLONE: 4. TYPE OF CYCLONE: ☐ MULTIPLE SIMPLE 6. DIMENSION THE APPROPRIATE SKETCH (IN INCHES) OR PROVIDE A DRAWING WITH EQUIVALENT INFORMATION: TANGENTIAL INLET CYCLONE AXIAL INLET CYCLONE
(INDIVIDUAL CYCLONE OF MULTIPLE CYCLONE) GAS OUT GAS OUT GAS IN GAS IN GAS IN VANE ANGLE DEGREES SECTION SECTION PLAN NOT TO SCALE AVERAGE OPERATION OF SOURCE MAXIMUM OPERATION OF SOURCE 9. GAS FLOW RATE: 7. GAS FLOW RATE: **SCFM** SCFM 8. EFFICIENCY OF CYCLONE (SEE INSTRUCTION 4): 10. EFFICIENCY OF CYCLONE (SEE INSTRUCTION 4): % %

CONDE	NSER
1. FLOW DIAGRAM DESIGNATION(S) OF CONDENSER:	
2. MANUFACTURER: 3. MODEL NAME AND	NUMBER: 4. HEAT EXCHANGE AREA:
	<u> </u>
AVERAGE OPERATION OF SOURCE	MAXIMUM OPERATION OF SOURCE
5. COOLANT FLOW RATE PER CONDENSER: WATER GPM AIR SCFM	10. COOLANT FLOW RATE PER CONDENSER:
	WATER GPM AIR SCFM
OTHER: TYPE, FLOW RATE	OTHER: TYPE, FLOW RATE
6. GAS FLOW RATE: SCFM	11. GAS FLOW RATE: SCFM
7. COOLANT TEMPERATURE: 8. GAS TEMPERATURE: 1NLET °F OUTLET °F	12. COOLANT TEMPERATURE: 13. GAS TEMPERATURE: INLET °F OUTLET °F INLET °F OUTLET °F
9. EFFICIENCY OF CONDENSER (SEE INSTRUCTION 4):	14. EFFICIENCY OF CONDENSER (SEE INSTRUCTION 4):
%	%
*ELECTRICAL P	RECIPITATOR
1. FLOW DIAGRAM DESIGNATION OF ELECTRICAL PRECIPITATOR:	
2. MANUFACTURER:	3. MODEL NAME AND NUMBER:
4. COLLECTING ELECTRODE AREA PER CONTROL DEVICE:	
4. COLLECTING ELECTRODE AREA PER CONTROL DEVICE:	FT ²
AVERAGE OPERATION OF SOURCE	MAXIMUM OPERATION OF SOURCE
5. GAS FLOW RATE:	7. GAS FLOW RATE:
6. EFFICIENCY OF ELECTRICAL PRECIPITATOR (SEE INSTRUCTION 4):	8. EFFICIENCY OF ELECTRICAL PRECIPITATOR (SEE INSTRUCTION 4):
%	%
SUBMIT THE MANUFACTURER'S SPECIFICATIONS FOR THE ELECTRICAL	<u> </u>
*ELECTRICAL PRECIPITATORS VARY GREATLY IN THEIR DESIGN AND IN T AMOUNT OF INFORMATION. THE APPLICANT MUST, HOWEVER, SUBM INCLUDING ANY DRAWINGS, TECHNICAL DOCUMENTS, ETC. IF THE I IS INSUFFICIENT FOR FULL AND ACCURATE ANALYSIS, THE AGENCY W	NIT WITH THIS APPLICATION THE MANUFACTURER'S SPECIFICATIONS, NFORMATION PROVIDED BY THE MANUFACTURER'S SPECIFICATIONS
FILTER	UNIT
1. FLOW DIAGRAM DESIGNATION(S) OF FILTER UNIT:	
VO-19 2. MANUFACTURER:	3. MODEL NAME AND NUMBER:
W.W. Sly Manufacturing Co.	Pactecon dust filter type PS No. 6
4. FILTERING MATERIAL:	5. FILTERING AREA:
24 Slytesed filter bags 6. CLEANING METHOD:	528 SF
6. CLEANING METHOD: SHAKER REVERSE AIR PULSE AIR PULSE JE	T OTHER: SPECIFY
7. GAS COOLING METHOD: DUCTWORK: LENGTH BLEED-IN AIR WATER SPRAY OTHER: SPECIFY	FT., DIAMIN. N/A
AVERAGE OPERATION OF SOURCE	MAXIMUM OPERATION OF SOURCE
8. GAS FLOW RATE (FROM SOURCE):	12. GAS FLOW RATE (FROM SOURCE):
800 scfm	1600 SCFM
9. GAS COOLING FLOW RATE: N/A BLEED-IN AIR SCFM, WATER SPRAY GPM	13. GAS COOLING FLOW RATE: N/A BLEED-IN AIR SCFM, WATER SPRAY GPM
10. INLET GAS CONDITION:	14. INLET GAS CONDITION:
TEMPERATURE Amb. of DEWPOINT of	TEMPERATURE Amb. °F DEWPOINT °F
11. EFFICIENCY OF FILTER UNIT (SEE INSTRUCTION 4):	15. EFFICIENCY OF FILTER UNIT (SEE INSTRUCTION 4):

	SCRU	RRFR		
FLOW DIAGRAM DESIGNATION(S) OF SCRUBBER:	3CKU	DULK		
I LOW DISCONDING DESIGNATION(3) OF SCRODDER:				
2. MANUFACTURER:		3. MODEL NAME AND NU	JMBER:	
4. TYPE OF SCRUBBER:				
HIGH ENERGY: GAS STREAM PRESSURE DROP	INC	:H H ₂ O		
PACKED: PACKING TYPE, PACKING	SIZE	, PACKED HEIGHT	IN.	
SPRAY: NUMBER OF NOZZLES, NO	OZZLE PRESSURE	PSIG		
OTHER: SPECIFY ATTACH DESCRIPTION	RIPTION AND SE	CETCH WITH DIMENSIONS		
5. TYPE OF FLOW:				
COCURRENT COUNTERCURRENT 6. SCRUBBER GEOMETRY:	CKOSSFLOW		· · · · · · · · · · · · · · · · · · ·	
LENGTH IN DIRECTION OF GAS FLOW	IN., CROS	S-SECTIONAL AREA	SQUARE IN.	
7. CHEMICAL COMPOSITION OF SCRUBBANT:				
AVERAGE OPERATION OF SOURCE		MAXIMUM	OPERATION OF SC	DURCE
8. SCRUBBANT FLOW RATE:	_	12. SCRUBBANT FLOW RAT	E:	
D. CAS ELOW BATE	GPM	10. 046 51 011 115		GPM
9. GAS FLOW RATE:	SCFM	13. GAS FLOW RATE:		SCFM
10. INLET GAS TEMPERATURE:	o _F	14. INLET GAS TEMPERATU	RE:	° _F
11. EFFICIENCY OF SCRUBBER (SEE INSTRUCTION 4):		15. EFFICIENCY OF SCRUBBER (SEE INSTRUCTION 4):		
% PARTICUL ATE 9	% GASECUS	% PAR	TICULATE	% GASEOUS
OTH	IFR TYPE OF CO	NTROL EQUIPMENT	······································	
1. FLOW DIAGRAM DESIGNATION(S) OF "OTHER TYPE"				
2. GENERIC NAME OF "OTHER" EQUIPMENT:	3. MANUFACTU	RER:	4. MODEL NAM	AE AND NUMBER:
5. DESCRIPTION AND SKETCH, WITH DIMENSIONS AND	FLOW RATES, C	F "OTHER" EQUIPMENT:		
-				
	 	J	 	
AVERAGE OPERATION OF SOURCE			M OPERATION OF S	OURCE
6. FLOW RATES: GPM SCFA	A	8. FLOW RATES:	GPM	SCFM
7. EFFICIENCY OF "OTHER" EQUIPMENT (SEE INSTRUCTION		9. EFFICIENCY OF "OTHE		

				EMISSION INF	ORMATION	N
1. NUMBER C	F IDENTICAL	CONTROL UNITS C	R CONT	ROL SYSTEMS (DESCRIBE A	S REQUIRED):
				VERAGE OPER	ATION OF	SOURCE
CONTAMINANT		TRATION OR EMISS			AL	METHOD USED TO DETERMINE CONCENTRATION OR EMISSION RATE
PARTICULATE MATTER	2a.	GR/SCF	Б.	2.8	LB/HR	c. Engineering Estimate
CARBON MONOXIDE	3a.	PPM (VOL)	ь.		LB/HR	с.
NITROGEN OXIDES	4 a.	PPM (VOL)	b.		LB/HR	с.
ORGANIC MATERIAL	5a.	PPM (VOL)	ь.		LB/HR	с.
SULFUR DIOXIDE	6a.	PPM (VOL)	ь.		LB/HR	с.
OTHER (SPECIFY)	7a.	PPM (VOL)	b.		LB/HR	c.
			7	MAXIMUM OPE	RATION OF	SOURCE
CONTAMINANT		NTRATION OR EMIS			AL	METHOD USED TO DETERMINE CONCENTRATION OR EMISSION RATE
PARTICULATE MATTER	8a.	GR/SCF	b.	2.8	LB/HR	c. Engineering Estimate
CARBON MONOXIDE	9a.	PPM (VOL)	ь.		LB/HR	c.
NITROGEN OXIDES	10a.	PPM (VOL)	ь.		LB/HR	c.
ORGANIC MATERIAL	lla.	PPM (VOL)	ь.		LB/HR	с.
SULFUR DIOXIDE	12a.	PPM (VOL)	ь.		LB/HR	с.
OTHER (SPECIFY)	13a.	PPM (VOL)	ь.		LB/HR	с.

^{**&}quot;OTHER" CONTAMINANT SHOULD BE USED FOR AN AIR CONTAMINANT NOT SPECIFICALLY NAMED ABOVE. POSSIBLE OTHER CONTAMINANTS ARE ASBESTOS, BERYLLIUM, MERCURY, VINYL CHLORIDE, LEAD, ETC.

	EXHAUST	POINT	INFORMATION		
1.	FLOW DIAGRAM DESIGNATION(S) OF EXHAUST POINT: V0-19				
2. DESCRIPTION OF EXHAUST POINT (LOCATION IN RELATION TO BUILDINGS, DIRECTION, HOODING, ETC.):					
	Top of Silos				
3.	EXIT HEIGHT ABOVE GRADE:		4. EXIT DIAMETER:		
	65 feet				
5.	GREASTEST HEIGHT OF NEARBY BUILDINGS:		6. EXIT DISTANCE FROM NEAREST PLANT BOUND		
	50	FT		50	FT
	AVERAGE OPERATION OF SOURCE		MAXIMUM OPERATION OF SOUR	ICE .	
7.	EXIT GAS TEMPERATURE:		9. EXIT GAS TEMPERATURE:	14.	
	Ambient	°F_	Ambient		°F
8.	GAS FLOW RATE THROUGH EACH EXIT:		10. GAS FLOW RATE THROUGH EACH EXIT:	<u> </u>	
	800 AC	JFM .	•	1600 AC	CFM

Disclosure of this information is required under the Failure to do so may prevent this form fern being and could result in your application being denied, has been approved by the Forms Management Cal



STATE OF ILLINOIS has ENVIRONMENTAL PROTECTION AGENCY DIVISION OF AIR POLLUTION CONTROL 2200 CHURCHILL ROAD SPRINGFIELD, ILLINOIS 62706

			FOR AGENCY	USE ONLY	
		Ri	EFERENCE I.D. NO.		
		REFERENCE PERMIT NO.			
DISPOSITION OF W		DATE			
NAME OF FOURTH INTO REPROCESS TO BE CONSTRUCTED OR OPERATED (B) $ extstyle extstyle $					
			′		
n. NAME OF OWNER:		20. NAME OF OI	PERATOR:		
Village of Sauget, Illinoi	s	1 -	itary Development	& Research Ass	
b. STREET ADDRESS OF OWNER: 2897 Falling Springs Road		2b. STREET ADDRESS OF OPERATOR: #10 Mobile Street			
CITY OF OWNER:		2c. CITY OF OPE	· · · · · · · · · · · · · · · · · · ·		
Sauget	·	Sauget 2d. STATE OF OP			
d. STATE OF OWNER:	le, ZIP CODE:	1		Ze. ZIP CCTE	
Illinois	62206	Illinois		62201	
30. NAME OF CORPORATE DIVISION OR PLA	•	3b. STREET ADDRESS OF EMISSION SOURCE: 10 Mobile Street			
Sauget Physical-Chemical Tre	28. LOCATED WITHIN CITY	3e. TOWNSHIP:	3f. COUNTY:	3g. 71P C1 DE-	
Sauget	LIMITS: X YES N	Centreville	e St. Clair	62201	
4. ALL CORRESPONDENCE TO: (NAME OF I Brett L. Hanke 6. ADDRESS FOR CORRESPONDENCE: (CHEC OWNER X OPERATO	K ONLY ONE)	7. YOUR ID NUM	NUMBER FOR AGENCY TO CA 4-3188 NBER FOR THIS APPLICATION		
(A) THIS FORM IS TO BE COMPLETED FOR AN THAT MAY BE DISPOSED OF IN A MANN WITH MATTER FROM OTHER SOURCES OR UNDER THE ENVIRONMENTAL PROTECTION. (B) ENTER INFORMATION HERE FROM COMP. (C) ENTER INFORMATION IN ITEM 7 ABOVE. (D) IF ADDITIONAL SPACE IS REQUIRED USE AS IT APPEARS ON THIS FORM.	VER THAT MAY CAUSE OR TEN SO AS TO VIOLATE REGULAT ON ACT. PARABLE BLOCK ON APC-200 SAME AS ITEM 7 APC-200 - "	D TO CAUSE POLLUT FIONS OR STANDARD - "APPLICATION FO PAPPLICATION FOR A	ION IN ILLINOIS EITHER ALOS ADOPTED BY THE POLLUTION RAPERMIT".	ONE OR IN COMBINATION CONTROL BOAPD	
THIS ADDINOUM WILL BE REVIEWED BY THE EDETAILED APPLICATION FOR A PERMIT WILL IS CONSIDERED TO BE AN APPLICATION FOR AND FOLLUTION CONTROL, IF IT IS DEEMED AND FOLLUTION CONTROL.	NEED TO BE SUBMITTED. THI R A PERMIT. PROPER APPLICA D THAT THE FACILITY REQUIR	S FORM APC-103 - "E TION FOR PERMIT FO ES A PERMIT.	DISPOSITION OF SOLID WAS DRMS WILL BE MAILED TO YO	TE") IN ITSELF SHALL N	

ა.	DISCRIBE THE STATE OF THE WASTE MATERIAL (SLUKRY, CAKE, FINE ASH, CINDERS, POWDER, SLUDGE, WATER SUSPENDED, ETC. 1711 THE APPLICANT'S PROPOSED DISPOSAL SITE:
	Dust / powder accompanying dolomitic quicklime pebbles.
	· · · · · · · · · · · · · · · · · · ·
,	FOR THE WASTE STATE THE CHEMICAL COMPOSITION, EXPRESSED AS WEIGHT PERCENTAGES OF SOLID WASTE OR IN MILLIGRAMS FER LITTER FOR LIQUIDS:
	Waste is caught and cycled into the process.
Oa.	STATE VOLUME & WEIGHT OF THE WASTE GENERATED BY THIS OPERATION:
	DAILY /DAY WEEKLY /WK MONTHLY /MO. YEARLY YR OTHER
۱٦.	WILL THE WASTE MATERIAL BE DEPOSITED IN A SANITARY LANDFILL PERMITTED BY THE ENVIRONMENTAL PROTECTION AGENCY?
	x NO Dust collector returns captured particles to lime silo.
b.	IF THE ANSWER TO Ia IS "YES", STATE THE NAME AND AGENCY SUPPLEMENTAL PERMIT NUMBER OF SUCH SITE.
	NIAMESUPPLEMENTAL PERMIT NO
	WILL THE WASTE MATERIAL BE STORED OR PROCESS AT THE APPLICANT PLANT OR PREMISES? X YES 140
շե.	IF THE ANSWER TO 12a IS "YES", EXPLAIN.
	Dust collector returns captured particles to lime silo.
	•
	WILL THE WASTE MATERIAL BE TRANSPORTED TO A REMOTE SITE FOR STORAGE, PROCESSING, OR DISPOSAL?
Jb.	IF THE ANSWER TO 13a IS "YES", EXPLAIN.
	WILL THE WASTE MATERIAL BE INCINERATED?
	IF THE ANSWER TO 140 IS "YES", EXPLAIN.
-	IF THE WASTE WILL BE DISDOCED OF LITH IZED IN A MANINED NOT OTHERWISE DESCRIBED. STATE THE ARTHOD OF LITH IZATION OF DISDOCAL
ia.	IF THE WASTE WILL BE DISPOSED OR UTILIZED IN A MANNER NOT OTHERWISE DESCRIBED, STATE THE METHOD OF UTILIZATION OR DISPOSAL TO BE USED AND THE OWNER AND LOCATION OF THE DISPOSAL OR PROCESSING FACILITY AND EXPLAIN.

17 TOP (P. 5 JET TV